Connecting via Winsock to STN

```
Welcome to STN International! Enter x:x
```

LOGINID:ssspta1653rxt

```
PASSWORD:
```

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
                 Web Page URLs for STN Seminar Schedule - N. America
NEWS
     1
                 "Ask CAS" for self-help around the clock
NEWS
     3 JUL 12 BEILSTEIN enhanced with new display and select options,
NEWS
                resulting in a closer connection to BABS
     4 AUG 02 IFIPAT/IFIUDB/IFICDB reloaded with new search and display
NEWS
        AUG 02 CAplus and CA patent records enhanced with European and Japan
NEWS
    5
                 Patent Office Classifications
    6 AUG 02 The Analysis Edition of STN Express with Discover!
NEWS
                 (Version 7.01 for Windows) now available
        AUG 27 BIOCOMMERCE: Changes and enhancements to content coverage
NEWS
        AUG 27 BIOTECHABS/BIOTECHDS: Two new display fields added for legal
NEWS
    8
                 status data from INPADOC
        SEP 01 INPADOC: New family current-awareness alert (SDI) available
NEWS 9
        SEP 01 New pricing for the Save Answers for SciFinder Wizard within
NEWS 10
                 STN Express with Discover!
        SEP 01 New display format, HITSTR, available in WPIDS/WPINDEX/WPIX
NEWS 11
                STANDARDS will no longer be available on STN
NEWS 12 SEP 27
NEWS 13 SEP 27
                SWETSCAN will no longer be available on STN
NEWS 14 OCT 28 KOREAPAT now available on STN
NEWS EXPRESS
             OCTOBER 29 CURRENT WINDOWS VERSION IS V7.01A, CURRENT
              MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
              AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
              STN Operating Hours Plus Help Desk Availability
NEWS HOURS
NEWS INTER
              General Internet Information
NEWS LOGIN
              Welcome Banner and News Items
NEWS PHONE
              Direct Dial and Telecommunication Network Access to STN
              CAS World Wide Web Site (general information)
NEWS WWW
```

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 08:52:54 ON 09 NOV 2004

=> file agricola biosis COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'AGRICOLA' ENTERED AT 08:53:03 ON 09 NOV 2004 FILE 'BIOSIS' ENTERED AT 08:53:03 ON 09 NOV 2004 Copyright (c) 2004 The Thomson Corporation. => s high molecular weight glutenin 682 HIGH MOLECULAR WEIGHT GLUTENIN L1=> s HMW glutenin 474 HMW GLUTENIN L2=> s C hordein 132 C HORDEIN L3=> s barley 75164 BARLEY L4=> s seed storage protein 1470 SEED STORAGE PROTEIN L5 => s s 11 and 13 and 14 and 15 MISSING OPERATOR S L1 The search profile that was entered contains terms or nested terms that are not separated by a logical operator. => s 11 and 13 and 14 and 15 0 L1 AND L3 AND L4 AND L5 L6 => s l1 and l5 36 L1 AND L5 L7 => s 11 and 14 and 15 2 L1 AND L4 AND L5 T.R => d 18 1-2 ANSWER 1 OF 2 AGRICOLA Compiled and distributed by the National L8 Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN 92:30260 AGRICOLA AN IND92010266 DN Homologies between grain storage proteins of different cereal species. 1. ТT Monoclonal antibody reaction with total protein extracts. ΑU Skerritt, J.H.; Lew, P.Y. CSIRO Wheat Research Unit, North Ryde, NSW, Australia CS ΑV DNAL (TX393.J6) Journal of cereal science, Mar 1990. Vol. 11, No. 2. p. 103-121 SO Publisher: London : Academic Press. ISSN: 0733-5210 Includes references. NTE DT Article Non-U.S. Imprint other than FAO FS English LA ANSWER 2 OF 2 BIOSIS COPYRIGHT (c) 2004 The Thomson Corporation. on STN L81990:238606 BIOSIS AN PREV199089125559; BA89:125559 DN HOMOLOGIES BETWEEN GRAIN STORAGE PROTEINS OF DIFFERENT CEREAL SPECIES 1. TIMONOCLONAL ANTIBODY REACTION WITH TOTAL PROTEIN EXTRACTS. SKERRITT J H [Reprint author]; LEW P Y ΑU CSIRO WHEAT RES UNIT, DIV PLANT IND, PO BOX 7, NORTH RYDE NSW 2113, CS **AUSTRALIA** Journal of Cereal Science, (1990) Vol. 11, No. 2, pp. 103-122. SO

```
CODEN: JCSCDA. ISSN: 0733-5210.
DT
     Article
FS
     BA
     ENGLISH
LA
     Entered STN: 19 May 1990
ED
     Last Updated on STN: 19 May 1990
=> d 17 1-10
     ANSWER 1 OF 36 AGRICOLA Compiled and distributed by the National
L7
     Agricultural Library of the Department of Agriculture of the United States
     of America. It contains copyrighted materials. All rights reserved.
     (2004) on STN
     2004:31471 AGRICOLA
ΑN
     IND43632279
DN
     The low-molecular-weight glutenin subunits of wheat gluten.
TI
     D'Ovidio, R.; Masci, S.
υA
     DNAL (TX393.J6)
ΑV
     Journal of cereal science, p. 321-339
SO
     ISSN: 0733-5210
     Includes references
NTE
     Article
DT
     Non-US
FS
     English
LA
     ANSWER 2 OF 36 AGRICOLA Compiled and distributed by the National
L7
     Agricultural Library of the Department of Agriculture of the United States
     of America. It contains copyrighted materials. All rights reserved.
     (2004) on STN
     2004:8163 AGRICOLA
AN
     IND43615353
DN
     Gene-assisted selection for high molecular
TТ
     weight glutenin subunits in wheat doubled haploid
     breeding programs.
ΑU
     Radovanovic, N.; Cloutier, S.
     DNAL (QK981.4.M63)
ΑV
     Molecular breeding: new strategies in plant improvement, p. 51-59
SO
     ISSN: 1380-3743
NTE
     Includes references
DT
     Article
FS
     Non US
     English
LΑ
     ANSWER 3 OF 36 AGRICOLA Compiled and distributed by the National
1.7
     Agricultural Library of the Department of Agriculture of the United States
     of America. It contains copyrighted materials. All rights reserved.
     (2004) on STN
     2004:5411 AGRICOLA
AN
DN
     IND43613661
     Limited but specific variations of seed storage
TI
     proteins in Japanese common wheat (Triticum aestivum L.).
     Tanaka, H.; Tomita, M.; Tsujimoto, H.; Yasumuro, Y.
ΑU
     Euphytica: international journal of plant breeding, p. 167-174
SO
     ISSN: 0014-2336
     Includes references
NTE
     Article
DT
     Non US
FS
     English
LΑ
     ANSWER 4 OF 36 AGRICOLA Compiled and distributed by the National
L7
     Agricultural Library of the Department of Agriculture of the United States
     of America. It contains copyrighted materials. All rights reserved.
```

(2004) on STN

```
2003:53967 AGRICOLA
AN
DN
     IND23341196
     Positive effect of the high-molecular-weight
ΤI
     glutenin allele, Glu-Dld, on the bread-making quality of common
     Tanaka, H.; Nakata, N.; Osawa, M.; Tomita, M.; Tsujimoto, H.; Yasumuro, Y.
     Plant breeding = Zeitschrift fur Pflanzenzuchtung, June 2003. Vol. 122,
SO
     No. 3. p. 279-280
     Publisher: Berlin : Blackwell Wissenschaft.
     CODEN: PLABED; ISSN: 0179-9541
     Includes references
NTE
     West Berlin
CY
     Article
DT
     English
LA
     ANSWER 5 OF 36 AGRICOLA Compiled and distributed by the National
     Agricultural Library of the Department of Agriculture of the United States
     of America. It contains copyrighted materials. All rights reserved.
     (2004) on STN
     2001:8295 AGRICOLA
AN
     IND22076488
DN
     The relationship between high-molecular-weight
     glutenin subunit composition and the quality of Japanese hexaploid
     wheat lines.
ΑU
     Nakamura, H.
     DNAL (381 J8223)
ΑV
     Journal of agricultural and food chemistry, July 2000. Vol. 48, No. 7. p.
     Publisher: Washington, D.C.: American Chemical Society.
     CODEN: JAFCAU; ISSN: 0021-8561
     Includes references
NTE
     District of Columbia; United States
CY
\mathtt{DT}
     U.S. Imprints not USDA, Experiment or Extension
FS
LA
     English
     ANSWER 6 OF 36 AGRICOLA Compiled and distributed by the National
L7
     Agricultural Library of the Department of Agriculture of the United States
     of America. It contains copyrighted materials. All rights reserved.
     (2004) on STN
     95:31938 AGRICOLA
AN
     IND20459608
DN
     Genetic variation at storage protein-coding loci of common wheat (cv
TT
     'Chinese Spring') induced by nitrosoethylurea and by the cultivation of
     immature embryos in vitro.
     Upelniek, V.P.; Novoselskaya, A.Yu.; Sutka, J.; Galiba, G.; Metakovsky,
AU
     E.V.
     N.I. Vavilov Institute of General Genetics, Moscow, Russia.
CS
     DNAL (442.8 Z8)
ΑV
     Theoretical and applied genetics, Mar 1995. Vol. 90, No. 3/4. p. 372-379
SO
     Publisher: Berlin, W. Ger. : Springer International.
     CODEN: THAGA6; ISSN: 0040-5752
     Includes references
NTE
     Germany
CY
\mathbf{DT}
     Article
     Non-U.S. Imprint other than FAO
FS
LΑ
     English
     ANSWER 7 OF 36 AGRICOLA Compiled and distributed by the National
ь7
     Agricultural Library of the Department of Agriculture of the United States
      of America. It contains copyrighted materials. All rights reserved.
```

(2004) on STN 94:20207 AGRICOLA

IND20376275

ΑN

DN

- TI Allelic diversity of high-molecular-weight glutenin protein subunits in natural populations of Dasypyrum villosum (L.) Candargy.
- AU Zhong, G.Y.; Qualset, C.O.
- AV DNAL (442.8 Z8)
- Theoretical and applied genetics, Aug 1993. Vol. 86, No. 7. p. 851-858 Publisher: Berlin, W. Ger.: Springer International. CODEN: THAGA6; ISSN: 0040-5752
- NTE Includes references
- CY Germany
- DT Article
- FS Non-U.S. Imprint other than FAO
- LA English
- L7 ANSWER 8 OF 36 AGRICOLA **G**ompiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- AN 92:59524 AGRICOLA
- DN IND92032266
- TI Use of recombinant inbred lines of wheat for study of associations of high-molecular-weight glutenin
  subunit alleles to quantitative traits. 2. Milling and bread-baking quality.
- AU Rousset, M.; Carrillo, J.M.; Qualset, C.O.; Kasarda, D.D.
- CS INRA, Domaine de Crouelle, France
- AV DNAL (442.8 Z8)
- Theoretical and applied genetics, 1992. Vol. 83, No. 4. p. 403-412 Publisher: Berlin, W. Ger.: Springer International. CODEN: THAGA6; ISSN: 0040-5752
- NTE Includes references.
- DT Article
- FS Non-U.S. Imprint other than FAO
- LA English
- L7 ANSWER 9 OF 36 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- AN 92:32091 AGRICOLA
- DN IND92012101
- TI Identification of an enhancer element for the endosperm-specific expression of high molecular weight glutenin.
- AU Thomas, M.S.; Flavell, R.B.
- CS University of Nottingham Medical School, Nottingham, United Kingdom
- AV DNAL (QK725.P532)
- SO The Plant cell, Dec 1990. Vol. 2, No. 12. p. 1171-1180 Publisher: Rockville, Md.: American Society of Plant Physiologists. ISSN: 1040-4651
- NTE Includes references.
- DT Article
- FS U.S. Imprints not USDA, Experiment or Extension
- LA English
- L7 ANSWER 10 OF 36 AGRICOLA Compiled and distributed by the National Agricultural Library of the Department of Agriculture of the United States of America. It contains copyrighted materials. All rights reserved. (2004) on STN
- AN 92:30260 AGRICOLA
- DN IND92010266
- TI Homologies between grain storage proteins of different cereal species. 1. Monoclonal antibody reaction with total protein extracts.
- AU Skerritt, J.H.; Lew, P.Y.

CS CSIRO Wheat Research Unit, North Ryde, NSW, Australia

AV DNAL (TX393.J6)

Journal of cereal science, Mar 1990. Vol. 11, No. 2. p. 103-121 Publisher: London: Academic Press. ISSN: 0733-5210

NTE Includes references.

DT Article

FS Non-U.S. Imprint other than FAO

LA English

## **WEST Search History**

09/743 533

Hide Items Restore Clear Cancel

DATE: Tuesday, November 09, 2004

Hide?	Set Name	<u>Query</u>	Hit Count
DB=PGPB, USPT, USOC, EPAB, JPAB, DWPI; THES=ASSIGNEE; PLUR=YES; OP=ADJ			
	L15	L14 and 18	7
	L14	111 and 110	599
	L11	seed storage protein	1052
	L10	barley	28118
3	L9	C hordein	13
	L8	HMW glutenin	28
	L7	high molecular weight glutenin	42
DB=PGPB, USPT; THES=ASSIGNEE; PLUR=YES; OP=ADJ			
	L5	530/350	18747
	L4	530/300	4691
	L3	514/2	10275
	L2	424/750	436
	L1	435/69.1	23954

END OF SEARCH HISTORY

e f